(95% FULL SCALE)

DOOR SCHEDULE

DOOR NO.	ROOM NO.	SIZE	THICKNESS	MATERIAL TYPE	TYPE	FRAME TYPE	RATING	HARDWARE GROUP	REMARKS :
1	189	3' X 7'-6" ACTIVE LEAF 18" X 7'-6" INACTIVE LEAF	1 3/4"	SOLID CORE WOOD	C	H.M.	1 1/2 HOUR	HW-1	SEE NOTES # 1 AND # 2 BELOW.
2	140	3' X 8'	1 3/4"	SOLID CORE WOOD	B	H.M.	45 MINUTE	HW-6	
3	188	3' X 8' ACTIVE LEAF 18" X 8' INACTIVE LEAF	1 3/4"	SOLID CORE WOOD	E	H.M.	20 MINUTE	HW-2	SEE NOTES # 1 AND # 2 BELOW.
4	150	3' X 8' ACTIVE LEAF 18" X 8' INACTIVE LEAF	1 3/4"	SOLID CORE WOOD	E	H.M.	20 MINUTE	HW-2	SEE NOTES # 1 AND # 2 BELOW.
5	142	PAIR 3' X 8'	1 3/4"	SOLID CORE WOOD	D	H.M.	20 MINUTE	HW-5	SEE NOTES # 1 AND # 2 BELOW.
6	141	PAIR 3' X 8'	1 3/4"	SOLID CORE WOOD	D	H.M.	20 MINUTE	HW-5	SEE NOTES # 1 AND # 2 BELOW.
7	141	3' X 8'	1 3/4"	SOLID CORE WOOD	H	H.M.	20 MINUTE	HW-6	
8	151	3' X 8' ACTIVE LEAF 1'-6" X 8' INACTIVE LEAF	1 3/4"	H.M.	F	H.M.		HW-7	
9	160	3' X 7'	1 3/4"	SOLID CORE WOOD	G	H.M.	20 MINUTE	HW-6	

DOOR NOTES:

1. CONFIRM MAXIMUM DOOR OPENING HEIGHT & WIDTH AVAILABLE IN THE FIELD TO FACE OF (E) MASONRY OPENING.
2. PROVIDE EXTENDED SUPPORT FOR ELECTRO-MAGNETIC DOOR HOLDER.
3. SEE DETAIL #6/A13 FOR TYPICAL DOOR FRAME JAMB DETAIL, UNLESS NOTED OTHERWISE ON THE FLOOR PLAN.

ARCHITECTURAL STANDARD DETAIL

DOOR SCHEDULE

UNIVERSITY OF CALIFORNIA – LAWRENCE BERKELEY NATIONAL LABORATORY

FACILITIES DEPARTMENT

DRAWN BY	DETAIL TYPE
DATE 00/00/00	SCALE NOTED
APPROVED BY	SHEET
DATE	A802
DRAWING FILE NAME A802	